

AUTHOR INDEX

- Akani, M., 97
Almonacid, G., 47
Anderson, W. A., 229
Avaritsiotis, J. N., 175
- Belkhaoua, A., 1
Borrego, J. M., 113
Bosio, A., 23
Boucher, J., 1
Bouree, J. E., 97
Brun, G., 97
Bullemer, B., 239
- Campos, J., 211
Canevari, V., 23
Caymax, M., 97
Chandra, S., 163
Chopra, K. L., 263
Coutts, T. J., 195
- Dachraoui, M., 187
- Enke, L., 15
- Fang, P. H., 159
Fthenakis, V. M., 303
- Ghandhi, S. K., 113
Groumpos, P. P., 29
- Hart, R. E., Jr., 113
Heinbockel, J. H., 55
- Jiao, K. L., 229
Jung, T.-W., 81
- Khouzam, K., 29
Kinnier, J. H., 159
Kusian, W., 239
- Lindholm, F. A., 81
Lokhande, C. D., 133
Luque, A., 47
- Morales-Acevedo, A., 319
Moskowitz, P. D., 303
- Nair, M. T. S., 103, 211
Nair, P. K., 103, 211
Neugroschel, A., 81
- Osterwald, C. R., 195
- Pandya, D. K., 263
Parat, K. K., 113
Pfleiderer, H., 239
- Quanxi, J., 15
- Rodot, M., 97
Romeo, N., 23
- Sahu, S. N., 163
Sakai, H., 275
Sansores, L. E., 211
Seuret, D., 23
Slonim, M. A., 255
Sopori, B. L., 287
Statler, R. L., 69
Suryanarayanan, R., 97
Swartz, C. K., 113
- Takagishi, K., 295
Tanaka, M., 295
Tiwari, A. N., 263
Tsilis, M., 175
Tslaf, A. L., 255
- Uchida, Y., 275
Uehara, K., 295
- Vedel, J., 187
- Walker, D. H., 69
Walker, G. H., 55
Weinberg, I., 113
Wu, X., 159
- Yamaguchi, M., 113
Yanagisawa, T., 125

The first part of the paper discusses the importance of the
 study and the objectives of the research. It then proceeds to
 describe the methodology used in the study, including the
 data collection and analysis techniques. The results of the
 study are then presented, followed by a discussion of the
 findings and their implications. The paper concludes with a
 summary of the main points and a list of references.

SUBJECT INDEX

- Aluminium
 - Al/indigo/Au photovoltaic cell, 295
- Antireflective coatings
 - SiO₂/TiO₂ double-layer antireflective coating deposited at room temperature for metal/insulator/n-Si/p-Si solar cells, 229
- Applications
 - prospects of chemically deposited CdS thin films in solar cell applications, 103
- Argon
 - low resistivity CdS thin films grown by r.f. sputtering in an Ar-H₂ atmosphere, 23
- CdS
 - chemical-bath-deposited CdS and CdS:Li films and their use in photoelectrochemical solar cells, 163
 - critical discussion of the very high photoconductivity in chemically deposited CdS thin films: implications for solar cell technology, 211
 - low resistivity CdS thin films grown by r.f. sputtering in an Ar-H₂ atmosphere, 23
 - prospects of chemically deposited CdS thin films in solar cell applications, 103
 - quantum efficiency of CdS/CuInSe₂ and In₂O₃:Sn/InP solar cells, 195
- Chemical deposition
 - chemical-bath-deposited CdS and CdS:Li films and their use in photoelectrochemical solar cells, 163
 - critical discussion of the very high photoconductivity in chemically deposited CdS thin films: implications for solar cell technology, 211
 - diffusion length measurements on plasma-sprayed polycrystalline Si substrates and on Si grown on them by chemical vapour deposition, 97
 - prospects of chemically deposited CdS thin films in solar cell applications, 103
- Concentrators
 - truncation effects in bifacial compound parabolic concentrators, 47
- CuInS₂
 - fabrication and analysis of all-sprayed CuInS₂/ZnO solar cells, 263
- CuInSe₂
 - quantum efficiency of CdS/CuInSe₂ and In₂O₃:Sn/InP solar cells, 195
- Cu₂S
 - improvement of Cu₂S stoichiometry by electrochemical and chemical methods, 187
- Diffused junction cells
 - comparative radiation resistance, temperature dependence and performance of diffused junction InP solar cells, 113
- Diffusion length
 - diffusion length measurements on plasma-sprayed polycrystalline Si substrates and on Si grown on them by chemical vapour deposition, 97
- Equivalent diagrams
 - equivalent diagram of a solar cell, based on short-circuit and open-circuit tests, 255
- GaAs
 - electron radiation damage in GaAs solar cells, 69
- Gold
 - Al/indigo/Au photovoltaic cell, 295
- Hazards
 - characterization and control of PH₃ hazards in photovoltaic cell manufacture, 303
- Hydrogen
 - current progress towards reducing light-induced degradations in a-Si:H films and solar cells, 275
 - low resistivity CdS thin films grown by r.f. sputtering in an Ar-H₂ atmosphere, 23

- Indigo
 - Al/indigo/Au photovoltaic cell, 295
- $\text{In}_2\text{O}_3:\text{Sn}$
 - quantum efficiency of $\text{CdS}/\text{CuInSe}_2$ and $\text{In}_2\text{O}_3:\text{Sn}/\text{InP}$ solar cells, 195
- InP
 - comparative radiation resistance, temperature dependence and performance of diffused junction InP solar cells, 113
 - quantum efficiency of $\text{CdS}/\text{CuInSe}_2$ and $\text{In}_2\text{O}_3:\text{Sn}/\text{InP}$ solar cells, 195
- Junction ideality factor
 - a method for the direct measurement of the solar cell junction ideality factor, 15
- Light-induced degradation
 - current progress towards reducing light-induced degradations in a-Si:H films and solar cells, 275
 - temperature dependence of light-induced degradation in a-Si solar cells, 125
- Lithium
 - chemical-bath-deposited CdS and CdS:Li films and their use in photoelectrochemical solar cells, 163
- Metallic glass substrates
 - metallic glass substrates for thin film solar cells, 159
- Open-circuit tests
 - equivalent diagram of a solar cell, based on short-circuit and open-circuit tests, 255
- Open-circuit voltage
 - improved simple procedure for calculating the open-circuit voltage of passivated emitter Si solar cells, 319
- Oxides
 - fabrication and analysis of all-sprayed $\text{CuInS}_2/\text{ZnO}$ solar cells, 263
 - quantum efficiency of $\text{CdS}/\text{CuInSe}_2$ and $\text{In}_2\text{O}_3:\text{Sn}/\text{InP}$ solar cells, 195
 - $\text{SiO}_2/\text{TiO}_2$ double-layer antireflective coating deposited at room temperature for metal/insulator/n-Si/p-Si solar cells, 229
- Passivated emitter cells
 - an improved simple procedure for calculating the open-circuit voltage of passivated emitter Si solar cells, 319
- Performance
 - comparative radiation resistance, temperature dependence and performance of diffused junction InP solar cells, 113
- Phosphine
 - characterization and control of PH_3 hazards in photovoltaic cell manufacture, 303
- Photoconductivity
 - critical discussion of the very high photoconductivity in chemically deposited CdS thin films: implications for solar cell technology, 211
- Photocurrent-voltage characteristics
 - spectral photocurrent-voltage characteristics of c-Si and a-Si solar cells, 239
- Photoelectrochemical cells
 - chemical-bath-deposited CdS and CdS:Li films and their use in photoelectrochemical solar cells, 163
 - survey of photoelectrochemical cells with power conversion efficiencies greater than or equal to 5%, 133
- Photovoltaic energy converters
 - parametric study of laser photovoltaic energy converters, 55
- Plasma spraying
 - diffusion length measurements on plasma-sprayed polycrystalline Si substrates and on Si grown on them by chemical vapour deposition, 97
- p-n junction cells
 - two-dimensional model for thin film polycrystalline semiconductor p-n junction solar cells, 1
- Power controllers
 - a power controller for autonomous photovoltaic systems, 175
- Quantum efficiency
 - quantum efficiency of $\text{CdS}/\text{CuInSe}_2$ and $\text{In}_2\text{O}_3:\text{Sn}/\text{InP}$ solar cells, 195
- Radiation damage
 - electron radiation damage in GaAs solar cells, 69
- Radiation resistance
 - comparative radiation resistance, temperature dependence and performance of diffused junction InP solar cells, 113

- Recombination lifetime
 - variations in the electrical short-circuit current decay for recombination lifetime and velocity measurements, 81
- Shadow effects
 - generic approach to the shadow effect of large solar power systems, 29
- Short-circuit current
 - variations in the electrical short-circuit current decay for recombination lifetime and velocity measurements, 81
- Short-circuit tests
 - equivalent diagram of a solar cell, based on short-circuit and open-circuit tests, 255
- Silicon
 - current progress towards reducing light-induced degradations in a-Si:H films and solar cells, 275
 - diffusion length measurements on plasma-sprayed polycrystalline Si substrates and on Si grown on them by chemical vapour deposition, 97
 - improved simple procedure for calculating the open-circuit voltage of passivated emitter Si solar cells, 319
 - SiO₂/TiO₂ double-layer antireflective coating deposited at room temperature for metal/insulator/n-Si/p-Si solar cells, 229
 - spectral photocurrent-voltage characteristics of c-Si and a-Si solar cells, 239
 - temperature dependence of light-induced degradation in a-Si solar cells, 125
- Spectral response measurements
 - a spectral response measurement system for large-area solar cells, 287
- Spray pyrolysis
 - fabrication and analysis of all-sprayed CuInS₂/ZnO solar cells, 263
- Sputtering
 - low resistivity CdS thin films grown by r.f. sputtering in an Ar-H₂ atmosphere, 23
- Stoichiometry
 - improvement of Cu₂S stoichiometry by electrochemical and chemical methods, 187
- Temperature dependence
 - comparative radiation resistance, temperature dependence and performance of diffused junction InP solar cells, 113
 - temperature dependence of light-induced degradation in a-Si solar cells, 125
- Titanium
 - SiO₂/TiO₂ double-layer antireflective coating deposited at room temperature for metal/insulator/n-Si/p-Si solar cells, 229
- Truncation effects
 - truncation effects in bifacial compound parabolic concentrators, 47
- Two-dimensional models
 - two-dimensional model for thin film polycrystalline semiconductor p-n junction solar cells, 1
- Velocity
 - variations in the electrical short-circuit current decay for recombination lifetime and velocity measurements, 81
- ZnO
 - fabrication and analysis of all-sprayed CuInS₂/ZnO solar cells, 263



